

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
石垣 泰	内科学講座糖尿病・代謝・内分泌内科分野	教授	医学博士	代謝学(糖代謝)	<p>①Takebe N, Tanno K, Ohmomo H, Hangai M, Oda T, Hasegawa Y, Takanashi N, Sasaki R, Shimizu A, Sasaki A, Sakata K, Sasaki M, Ishigaki Y. Weight Gain After 20 Years of Age is Associated with Unfavorable Lifestyle and Increased Prevalence of Metabolic Disorders. <i>Diabetes Metab Syndr Obes.</i> 2021;14:2065-2075.</p> <p>②Satoh K, Nagasawa K, Takebe N, Kinno H, Shozushima M, Onodera K, Oda T, Hasegawa Y, Satoh J, Ishigaki Y. Adiponectin Paradox More Evident in Non-Obese Than in Obese Patients with Diabetic Microvascular Complications. <i>Diabetes Metab Syndr Obes.</i> 2023 Jan 23;16:201-212.</p> <p>③Shozushima M, Mori F, Yashiro S, Todate Y, Oda T, Nagasawa K, Hasegawa Y, Takebe N, Sasaki M, Ishigaki Y. Evaluation of High Intracranial Plaque Prevalence in Type 2 Diabetes Using Vessel Wall Imaging on 7 T Magnetic Resonance Imaging. <i>Brain Sci.</i> 2023;13(2):217.</p> <p>④Matsushita Y, Hasegawa Y, Takebe N, Onodera K, Shozushima M, Oda T, Nagasawa K, Honma H, Nata K, Sasaki A, Ishigaki Y. Serum C-X-C motif chemokine ligand 14 levels are associated with serum C-peptide and fatty liver index in type 2 diabetes mellitus patients. <i>J Diabetes Investig.</i> 2021, 12(6):1042-1049.</p> <p>⑤Oda T, Satoh M, Nagasawa K, Sasaki A, Hasegawa Y, Takebe N, Ishigaki Y. The Effects of Imeglimin on the Daily Glycemic Profile Evaluated by Intermittently Scanned Continuous Glucose Monitoring: Retrospective, Single-Center, Observational Study. <i>Diabetes Ther.</i> 2022 Jul 27. doi: 10.1007/s13300-022-01298-w.</p>
岡田 健太	内科学講座糖尿病・代謝・内分泌内科分野	特任教授	医学博士	代謝学・内分泌学	<p>①Okada K, Kotani K, Ebihara K, Yamazaki H, Ishibashi S. Predictors of response to ipragliflozin treatment in patients with type 2 diabetes mellitus. <i>Int J Clin Pharmacol Ther.</i> 54(12): 1004-1008. 2016</p> <p>②Kario K, Okada K, Kato M, Nishizawa M, Yoshida T, Asano T, Uchiyama K, Niijima Y, Katsuya T, Urata H, Osuga J, Fujiwara T, Yamazaki S, Tomitani N, Kanegae H. 24-Hour Blood Pressure-Lowering Effect of an SGLT-2 Inhibitor in Patients with Diabetes and Uncontrolled Nocturnal Hypertension: Results from the Randomized, Placebo-Controlled SACRA Study. <i>Circulation.</i> 2019; 139: 2089-2097</p> <p>③ Okada K, Hoshide S, Kato M, Kanegae H, Ishibashi S, Kario K. Safety and efficacy of empagliflozin in elderly Japanese patients with type 2 diabetes mellitus: A post hoc analysis of data from the SACRA study. <i>J Clin Hypertens (Greenwich).</i> 2021, Apr;23(4):860-869.</p> <p>④Okada K, Kotani K, Yagyu H, Ando A, Osuga J, Ishibashi S. Effects of treatment with liraglutide on oxidative stress and cardiac natriuretic peptides levels in patients with type 2 diabetes mellitus. <i>Endocrine.</i> 47(3): 962-964, 2014</p> <p>⑤Okada K, Kotani K, Yagyu H, Ishibashi S. Eicosapentaenoic acid/arachidonic acid ratio and smoking status in elderly patients with type 2 diabetes mellitus. <i>Diabetol Metab Syndr.</i> 6(1): 85 2014</p>

高橋 義彦	内科学講座糖尿病・代謝・内分泌内科分野	准教授	医学博士	代謝学・内分泌学	<p>①Hasegawa Y, Takahashi Y, Kezuka Y, Obara W, Kato Y, Tamura S, Onodera K, Segawa T, Oda T, Sato M, Nata K, Nonaka T, Ishigaki Y. Identification and Analysis of a Novel NR0B1 Mutation in Late-Onset Adrenal Hypoplasia Congenita and Hypogonadism. <i>J Endocr Soc.</i> 2020; 5(2):bva176.</p> <p>②Matsui M, Takahashi Y, Takebe N, Takahashi K, Nagasawa K, Honma H, Oda T, Ono M, Nakagawa R, Sasai T, Togashi H, Hangai M, Kajiwara T, Taneichi H, Ishigaki Y, Satoh J. Response to the dipeptidyl peptidase-4 inhibitors in Japanese patients with type 2 diabetes might be associated with a diplotype of two single nucleotide polymorphisms on the interleukin-6 promoter region under a certain level of physical activity. <i>J Diabetes Investig.</i> 2015 Mar;6(2):173-81.</p> <p>③Takarabe D, Rokukawa Y, Takahashi Y, Goto A, Takaichi M, Okamoto M, Tsujimoto T, Noto H, Kishimoto M, Kaburagi Y, Yasuda K, Yamamoto-Honda R, Tsukada K, Honda M, Teruya K, Kajio H, Kikuchi Y, Oka S, Noda M. Autoimmune diabetes in HIV-infected patients on highly active antiretroviral therapy. <i>J Clin Endocrinol Metab.</i> 2010; 95:4056-60.</p> <p>④Takahashi Y, Noda M, Tsugane S, Kuzuya T, Ito C, Kadowaki T. Prevalence of diabetes estimated by plasma glucose criteria combined with standardized measurement of HbA1c among health checkup participants on Miyako Island, Japan. <i>Diabetes Care</i> 2000; 8: 1092-1096.</p> <p>⑤Takahashi Y, Kadowaki H, Ando A, Quin JD, MacCuish AC, Yazaki Y, Akanuma Y, Kadowaki T. Two aberrant splicings caused by mutations in the insulin receptor gene in cultured lymphocytes from a patient with Rabson-Mendenhall's syndrome. <i>J.Clin.Invest.</i> 1998; 101: 588-594.</p>
長谷川 豊	内科学講座糖尿病・代謝・内分泌内科分野	特任准教授	医学博士	代謝学（糖尿病）	<p>①Hasegawa Y. New perspectives on obesity-induced adipose tissue fibrosis and related clinical manifestations. <i>Endocrine Journal.</i> 2022 Jul 28;69(7):739-748</p> <p>②Hasegawa Y, Takahashi Y, Kezuka Y, Obara W, Kato Y, Tamura S, Onodera K, Segawa T, Oda T, Sato M, Nata K, Nonaka T, Ishigaki Y. Identification and Analysis of a Novel NR0B1 Mutation in Late-Onset Adrenal Hypoplasia Congenita and Hypogonadism. <i>J Endocrine Society.</i> 2020 Nov 13;5(2): bva176.</p> <p>③Matsushita Y, Hasegawa Y, Takebe N, Onodera K, Shozushima M, Oda T, Nagasawa K, Honma H, Nata K, Sasaki A, Ishigaki Y. Serum C-X-C motif chemokine ligand 14 levels are associated with serum C-peptide and fatty liver index in type 2 diabetes mellitus patients. <i>J Diabetes Investig.</i> 2020 Oct 15.</p> <p>④Hasegawa Y, Ikeda K, Chen Y, Alba DL, Stifler D, Shinoda K, Hosono T, Maretich P, Yang Y, Ishigaki Y, Chi J, Cohen P, Koliwad SK, Kajimura S. Repression of Adipose Tissue Fibrosis through a PRDM16-GTF2IRD1 Complex Improves Systemic Glucose Homeostasis. <i>Cell Metabolism.</i> 2018 Jan 9;27(1):180-194</p> <p>⑤Altshuler-Keylin S, Shinoda K, Hasegawa Y, Ikeda K, Hong H, Kang Q, Yang Y, Perera RM, Debnath J, Kajimura S. Beige Adipocyte Maintenance Is Regulated by Autophagy-Induced Mitochondrial Clearance. <i>Cell Metab.</i> 2016 Aug 24. pii: S1550-4131(16)30378-3.</p>

武部 典子	内科学講座糖尿病・代謝・内分泌内科分野	講師	医学博士	代謝学・内分泌学	<p>① Fujita N, Baba T, Tomiyama T, Kodama T, Kato N. Hyperinsulinaemia and blood pressure with insulinoma. <i>BMJ</i>. 1992;304(6835):1157.</p> <p>② Hangai M, Takebe N, Honma H, Sasaki A, Morita A, Nakano R, Togashi H, Nakagawa R, Oda T, Matsui M, Sasai T, Nagasawa K, Kajiwara T, Takahashi K, Takahashi Y, Satoh J, Ishigaki Y. Association of Advanced Glycation End Products with coronary Artery Calcification in Japanese Subjects with Type 2 Diabetes as Assessed by Skin Autofluorescence. <i>Journal of atherosclerosis and thrombosis</i>. 2016;23(10):1178-1187.</p> <p>③ Murai T, Takebe N, Nagasawa K, Todate Y, Nakagawa R, Nakano R, Hangai M, Hasegawa Y, Takahashi Y, Yoshioka K, Ishigaki Y. Association of epicardial adipose tissue with serum level of cystatin C in type 2 diabetes. <i>PLoS One</i>. 2017;12(9):e0194623.</p> <p>④ Matsushita Y, Hasegawa Y, Takebe N, Onodera K, Shozushima M, Oda T, Nagasawa K, Honma H, Nata K, Sasaki A, Ishigaki Y. Serum C-X-C motif chemokine ligand 14 levels are associated with serum C-peptide and fatty liver index in type 2 diabetes mellitus patients. <i>J Diabetes Investig</i>. 2021;12(6):1042-1049.</p> <p>⑤ Takebe N, Tanno K, Ohmomo H, Hangai M, Oda T, Hasegawa Y, Takanashi N, Sasaki R, Shimizu A, Sasaki A, Sakata K, Sasaki M, Ishigaki Y. Weight Gain After 20 Years of Age is Associated with Unfavorable Lifestyle and Increased Prevalence of Metabolic Disorders. <i>Diabetes Metab Syndr Obes</i>. 2021;14:2065-2075.</p>
瀬川 利恵	内科学講座糖尿病・代謝・内分泌内科分野	講師	医学博士	代謝学・内分泌学	<p>① Yutaka H, Yoshihiko T, Yuichiro K, Wataru O, Yoichiro K, Shukuko T, Ken O, Toshie S, Tomoyasu O, Marino Sa, Koji N, Takamasa N, Yasushi I. Identification and Analysis of a Novel NR0B1 Mutation in Late-Onset Adrenal Hypoplasia Congenita and Hypogonadism. <i>J Endocr Soc</i>. 5, 1-10, 2021.</p> <p>② Yuki M, Fumitaka T, Toshie S, Kozo T, Kazuyoshi I, Kiyomi S, Masaki O, Shinichi O, Kuniaki O, Koichi A and Motuyki N. Sex differences in the influence of elevated serum uric acid levels for cardiovascular risk in the general population with normal renal function. <i>JIMA</i> 72, 145-155, 2020.</p> <p>③ Nakamura M, Tanaka F, Segawa T, Takahashi T, Matsuura Y, Sakai T, Nishiyama O, Niiyama M, Onoda T, Koshiyama M, (on behalf of Northern Iwate Heart Disease Registry Consortium) . Temporal Trends in the Incidence and Clinical Features of Acute Myocardial Infarction in a Japanese Rural Area From 2006 to 2014. <i>Circ J</i> 2017; 81: 1854-1861.</p> <p>④ Koeda Y, Tanaka F, Segawa T, Ohta M, Ohsawa M, Tanno K, Makita S, Ishibashi Y, Itai K, Omama S, Onoda T, Sakata K, Ogasawara K, Okayama A, Nakamura M. Comparison between urine albumin-to-creatinine ratio and urine protein dipstick testing for prevalence and ability to predict the risk for chronic kidney disease in the general population (Iwate-KENCO study): a prospective community-based cohort study. <i>BMC Nephrol</i>. 2015;12;17(1):46.</p> <p>⑤ Toshie S, Motoyuki N, Kazuyoshi I, Toshiyuki O, Akira O, Katsuhiko H. B-type Natriuretic Peptide Levels and Risk Factors for Congestive Heart Failure in a Japanese General Population. <i>Int Heart J</i>. 2005;46(3):465-75.</p>
長澤 幹	内科学講座糖尿病・代謝・内分泌内科分野	特任講師	医学博士	代謝学（糖尿病）	<p>① Nagasawa K, Kaneko Y, Taneichi H, Ishii M, Masaya M, Honma H, Kakino S, Takahashi K, Yoshioka Y, Satoh J: Association of decrease in liver triglyceride content with increase in plasma adiponectin levels after pioglitazone treatment in Japanese patients with type 2 diabetes. <i>J Iwate Med Assoc</i> 62(1): 59-66, 2010.</p> <p>② Oda T, Satoh M, Nagasawa K, Sasaki A, Hasegawa Y, Takebe N, Ishigaki Y. The Effects of Imeglimin on the Daily Glycemic Profile Evaluated by Intermittently Scanned Continuous Glucose Monitoring: Retrospective, Single-Center, Observational Study. <i>Diabetes Ther</i>. 2022 Jul 27. doi: 10.1007/s13300-022-01298-w.</p> <p>③ Satoh K, Nagasawa K, Takebe N, Kinno H, Shozushima M, Onodera K, Oda T, Hasegawa Y, Satoh J, Ishigaki Y: Adiponectin Paradox More Evident in Non-Obese Than in Obese Patients with Diabetic Microvascular Complications. <i>Diabetes Metab Syndr Obes</i>. 2023 Jan 23;16:201-212</p>

小田 知靖	内科学講座糖尿病・代謝・内分泌内科分野	助教	医学博士	代謝学（糖尿病）	<p>①Oda T, Taneichi H, Takahashi K, Togashi H, Hangai M, Nakagawa R, Ono M, Matsui M, Sasai T, Nagasawa K, Honma H, Kajiwara T, Takahashi Y, Takebe N, Ishigaki Y, Satoh J: Positive association of free triiodothyronine with pancreatic <math>\beta</math>-cell function in people with prediabetes: Diabet Med. 2014 Sep 26.</p> <p>②Oda T, Satoh M, Nagasawa K, Sasaki A, Hasegawa Y, Takebe N, Ishigaki Y. The Effects of Imeglimin on the Daily Glycemic Profile Evaluated by Intermittently Scanned Continuous Glucose Monitoring: Retrospective, Single-Center, Observational Study. Diabetes Ther. 2022 Sep;13(9):1635-1643. doi: 10.1007/s13300-022-01298-w. Epub 2022 Jul 27.</p>
八代 諭	内科学講座糖尿病・代謝・内分泌内科分野	助教	医学博士	代謝学（糖尿病）	①Satoshi Yashiro, Hiroyuki Kameda, Ai Chida, Yusuke Todate, Yutaka Hasegawa, Kan Nagasawa, Ikuko Uwano, Makoto Sasaki, Kuniaki Ogasawara, Yasushi Ishigaki Evaluation of Lenticulostriate Arteries Changes by 7 T Magnetic Resonance Angiography in Type 2 Diabetes:Journal of Atherosclerosis and Thrombosis, 2018;25:1067-1075.
富樫 弘文	内科学講座糖尿病・代謝・内分泌内科分野	助教	医学博士	代謝学（糖尿病）	①Togashi H, Takahashi Y, Kajiwara T, Honma H, Nagasawa K, Sasai T, Nakagawa R, Takebe N, Satoh J and Ishigaki Y. Association of HbA1c variability with diabetic nephropathy and renal dysfunction in Japanese patients with type 2 diabetes. Journal of Iwate Medical Association Vol. 67, No. 4(October 2015) : 157-70.
半谷 真理	内科学講座糖尿病・代謝・内分泌内科分野	助教 (任期付)	医学博士	代謝学（糖尿病）	①Mari Hangai, Noriko Takebe, Hiroyuki Honma, Atsumi Sasaki,Ai Morita, Rieko Nakano, Hirobumi Togashi, Riyuki Nakagawa,Tomoyasu Oda, Mizue Matsui, Takayoshi Sasaki, KanNagasawa, Takashi Kajiwara, Kazuma Takahashi,Yoshihiko Takahashi, Jo Satoh, Yasushi Ishigak:Association of Advanced Glycation End Products with coronary Artery Calcification in Japanese Subjects with Type 2 Diabetes as Assessed by Skin Autofluorescence, Journal of atherosclerosis and thrombosis, 23(10), 1178-1187, 2016 Oct 1
佐賀 敦美	内科学講座糖尿病・代謝・内分泌内科分野	助教 (任期付)		代謝学（糖尿病）	
千田 愛	内科学講座糖尿病・代謝・内分泌内科分野	助教 (任期付)		代謝学（糖尿病）	<p>①千田 愛, 高橋 義彦, 中川 理友紀, 長澤 幹, 川島 智美, 佐藤 まりの, 瀬川 利恵, 高橋 和眞, 石垣 泰 1型糖尿病疾患抵抗性HLAハプロタイプを有する胰島閲連自己抗体陰性の多臓性自己免疫症候群2型の1例 糖尿病 2019 : 62(9)、514-9</p> <p>②千田 愛、橋本 朋子、松下 百合子、中川 理友紀、小田 知靖、長谷川 豊、武部 典子、石垣 泰：1型糖尿病の血清アディポサイトカイン濃度に影響する因子の検討：Journal of Iwate Medical Association 72(1):11-20、2020</p>